

BOSS

SNOWPLOW





WHATEVER IT TAKES.

When everything is covered in snow and ice, we make sure you have the solutions you need to RESTORE ORDER. We do Whatever It Takes to give you strength and efficiency that pack a compact punch. At BOSS, our products are always equipped with the quality and durability needed to get back to bare pavement.

TABLE OF CONTENTS

SNOWPLOWS	04
VBX 3000	06
EXACT PATH® DROP SPREADERS	08
COMPACT VEHICLE EQUIPMENT PARTS & ACCESSORIES	10



TWO-YEAR LIMITED WARRANTY

All BOSS snowplows and equipment are guaranteed to be free from defects in material and workmanship for two full years from the date of purchase. Stop by any authorized BOSS Dealer to receive complete details on our two-year parts and labor warranty. Please visit bossplow.com for more details.

LEGAL STATEMENT

Vehicles intended to be equipped with a spreader and/or snowplow must comply with the vehicle manufacturers' specifications for equipment application. BOSS Products, a division of The Toro Company, reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used herein. BOSS Products may be protected by one or more patents; please see bossplow.com for more details.

To comply with federal regulations and to ensure a safe vehicle, do not exceed the front gross axle weight rating (FGAWR), rear gross axle weight rating (RGAWR), gross vehicle weight rating (GVWR) or maximum vehicle payload ratings at any time. Combinations of equipment such as snowplows and spreaders, density of material being spread and the number of vehicle occupants should be taken into consideration. Ensuring these limitations are not exceeded may require weighing the vehicle and adding ballast as necessary. For receiver hitch-mounted products, do not exceed hitch rating at any time. Completed vehicle must not exceed front GAWR, rear GAWR or GVWR.

Enhance the power, performance and durability of your BOSS product with Genuine BOSS Parts & Accessories.

Ask your dealer for information or shop online at bossplow.com



*All images shown may include standard/optional equipment. Please consult your local BOSS Dealer for more information.



SNOWPLOWS

NO WINCHES. NO CABLES. NO PULLEYS.

BOSS snowplows are engineered to perform in the worst winter conditions and are fully hydraulic to deliver maximum efficiency. No winches, no cables, no pulleys—only premier equipment.



WATCH A
PRODUCT
OVERVIEW



FULLY HYDRAULIC

**FULL MOLDBOARD
TRIP DESIGN**

**STRAIGHT-BLADE
OR V-PLOW OPTIONS**

STANDARD FEATURES

High-Performance Hydraulics Package delivers reliability and speed.

Enclosed Hydraulics protect against corrosion and hydraulics freeze-up.

Full Moldboard Trip Design helps to prevent plow damage when an obstacle is encountered.

Direct Hydraulic Cylinder Lifting System provides quick response and reliability (no cables or winches).

Reversible Cutting Edge offers extended wear resistance (mid-size straight-blade only).

Heavy-Duty Cutting Edge is formed using a high wear-resistant AR450 steel plate and includes integrated curb guards (XT Plow only).

Patented Snow Catcher catches snow at the plow's pivot point, so no snow lines are left behind (XT Plow only).

SmartTouch® 2 Controller features an ergonomic design, large, backlit buttons and advanced technology for ease of use (excludes ATVs).

Handlebar Switch Box Controller is easy to mount and accessible for ATV handlebar (ATVs only).

OPTIONAL ACCESSORIES



- Headlight Kits
- Urethane Edge Kit
- Front Hitch Kit (Full-Size UTV Only)
- SmartLock® Cylinders (Full-Size UTV V-Plow Only)
- SmartHitch® 2 Mounting Option (Full-Size UTV Only)
- Caster Wheel Kit (6'6" V-Plow Only)
- Plow Shoes
- Box Wing Kit (Mid-Size Straight-Blade Only)
- Wing Extensions (Mid-Size Straight-Blade Only)
- Skid Plate (ATV/Mid-Size UTV)
- Snow Deflector
- Blade Guides
- Plow Shoe Kits
- Extended Wear Cutting Edge
- Straight-Blade Curb Guards
- Turf Defenders
- Curb Guards
- 3/8" AR450 Cutting Edge (4' Blade Only)

Ask your BOSS Dealer which accessories are compatible with your vehicle and BOSS Plow.

COMPATIBLE TORO® VEHICLES

4' Straight-Blades

- All Toro® Dingo® models except the TXL 2000 e-Dingo®

5' Straight-Blade Plows

- Toro® Workman® HDX
- Toro® Workman® MDX
- All Toro® Dingo® models except the TXL 2000 e-Dingo® GrandStand® Multi-Force

6' Straight-Blade/6'6" XT Plow

- Toro® UTX

For a complete listing of compatible ATVs, UTVs and compact vehicles, please see bossplow.com.

Straight-Blade Plow



XT Plow



MODELS & SPECIFICATIONS

SPECS					
	4' Straight POLY	5' Straight POLY	5'6" XT STEEL	6' Straight POLY	6'6" XT STEEL
Blade Width (Straight) Curb Guard Width*	48" (122 cm)	60" (152 cm)	66" (168 cm) 69" (175 cm)	72" (183 cm)	78" (198 cm) 80" (204 cm)
Blade Width (V-Position) Curb Guard Width*	n/a	n/a	59" (149 cm) 61" (155 cm)	n/a	69" (175 cm) 71" (181 cm)
Blade Width (Scoop) Curb Guard Width*	n/a	n/a	56" (142 cm) 62" (158 cm)	n/a	67" (169 cm) 74" (187 cm)
Blade Height	22" (56 cm)	22" (56 cm)	18" inside to 23" outside (47 cm to 59 cm)	25" (62 cm)	25" inside to 31" outside (64 cm to 77 cm)
Plow Weight	170 lb (77 kg)	190 lb (86 kg)	245 lb (111 kg)	314 lb (142 kg)	400 lb (181 kg)
Attachment System	Quick Attach	Quick Attach	Quick Attach	RT3 (SmartHitch® 2 optional)	RT3 (SmartHitch® 2 optional)
Vehicle Application	ATVs, TORO VEHICLES (STRAIGHT-BLADE ONLY) AND MID-SIZE UTVs			FULL-SIZE UTVs	

*Maximum product width. Consult product selector tool at bossplow.com for recommended applications.

SCAN FOR FULL SPECIFICATIONS





VBX 3000

POWER AND EFFICIENCY IN A COMPACT SIZE.

The BOSS VBX 3000 Spreader brings the power and efficiency of the truck VBX Spreader line to your compact vehicle or UTV.



**LEARN
MORE**



**SHAFTLESS 4" AUGER
WITH 4" OF PITCH**

**INVERTED
V-BAFFLE**

POLY HOPPER

STANDARD FEATURES

Shaftless 4" Auger with 4" of Pitch reduces jamming.

Poly Hopper is built to outlast the elements.

Vibrator helps reduce material bridging for ease of operation.

Tarp with Integrated Tie-Downs protects material from the elements.

Inverted V-Baffle reduces material build-up for optimal spreading efficiency.

12" Diameter Urethane Spinner is durable and corrosion-resistant, ensuring consistent distribution.

Spinner Motor is sealed for durability and maximum spreading efficiency.

Dual Motor Control adjusts material flow and spread-width on the fly.

OPTIONAL ACCESSORY



LED Worklight Kit



Toro® Workman® UTX equipped with XT Plow and VBX 3000

MODELS & SPECIFICATIONS

SPECS	MODEL
	VBX 3000
Hopper Capacity	12 cu ft (0.34 cu m)
Hopper Height	28" (71 cm)
Hopper Length	42" (107 cm)
Hopper Width	50" (127 cm)
Minimum Bed Length	34" (85 cm)
Spreading Width	2' - 40' (0.6 m - 12 m) dry, free-flowing material
Complete Unit Weight (Empty)	230 lb (104 kg)

The selection of proper deicing materials can be complex and varies by personal preference, experience and environmental concerns. All factors should be considered before making your selection.

*Maximum product width. Consult product selector tool at bossplow.com for recommended applications.

SCAN FOR FULL SPECIFICATIONS





EXACT PATH® DROP SPREADERS

STRENGTH, SPEED AND PRECISION.

By giving contractors more control over the amount dispensed, the BOSS EXACT PATH® can drop deicing material where it's needed, saving grass and landscaping.



SEE IT IN
ACTION



AVAILABLE IN
2.5 & 6.0
CUBIC FEET CAPACITIES

8-POSITION
ADJUSTABLE FEED GATE

STAINLESS STEEL
HOPPER AND FRAME

STANDARD FEATURES

8-Position Adjustable Feed Gate allows you to control the material dispense rate.

Stainless Steel Hopper and Frame Construction are made to outlast the elements.

Solid Poly Hopper Cover With Flexible Draw Latch protects against weather and is made to last.

Stainless Steel Top Screen With Bag Splitter easily opens bags and filters deicing material.

Enclosed 12-Volt Electric High-Torque Motor is weather and dust resistant to ensure performance, durability and reliability.

Variable Speed Control controls different speeds of the feeder motor.

AVAILABLE ATTACHMENT METHODS

- Category 1, 3-Point Hitch
- Toro® Groundsmaster® Mount Kit
- UTV Bed Mount Kit
- Height-Adjustable 2" Slide-In Receiver



EXACT PATH® 2.5
2.5 cu ft Capacity Volume



Adjustable Feed Gate Lever

MODELS & SPECIFICATIONS

SPECS	MODEL	
	EXACT PATH® 2.5	EXACT PATH® 6.0
Capacity Volume	2.5 cu ft (0.07 cu m)	6.0 cu ft (0.17 cu m)
Overall Height	22" (55 cm)	30" (76 cm)
Hopper Length	12" (31 cm)	16" (41 cm)
Overall Width	47" (120 cm)	47" (120 cm)
Minimum Bed Capacity	500 lb (227 kg)	1,000 lb (454 kg)
Spreading Width	40" (102 cm)	40" (102 cm)
Empty Weight	150 lb (68 kg)	175 lb (79 kg)

The selection of proper deicing materials can be complex and varies by personal preference, experience and environmental concerns. All factors should be considered before making your selection.

SCAN FOR FULL
SPECIFICATIONS





COMPACT VEHICLE EQUIPMENT



PARTS & ACCESSORIES

PLOW ATTACHMENTS & ENHANCEMENTS

PLOW SHOES/PLOW SHOE KIT

Help extend the life of the plow's cutting edge and deliver extended wear resistance by adding a set of durable, ultra-rugged plow shoes.



FRONT HITCH KIT

The front hitch kit secures to the full-size UTV undercarriage. This kit is recommended for UTVs where the undercarriage interferes with the OEM front hitch.

SMARTHITCH® 2


Designed to be simple and easy to attach and detach the plow. Flip, plug, click. The three-step attachment process makes it easy to attach (full-size UTVs only).

SMARTLOCK® CYLINDER

Keep your V-plow locked securely in the straight position while backdragging with these easy-to-install locking cylinders (full-size UTV V-plow only).

PLOW CASTER WHEELS

Ideal for moving your plow around in the garage or service bay, these caster wheels utilize existing shoe holders on the blade and make moving the plow a breeze. These heavy-duty wheels feature steel ball bearings for smooth movement and long-lasting life. Available for 6'6" XT Plow.



SKID PLATE ACCESSORY KIT

Protect your undercarriage when the plow has been removed with the BOSS ATV/mid-rise UTV skid plate.

BLADE PERFORMANCE

SNOW DEFLECTOR

Increase visibility and safety with a rubber snow deflector designed specifically for BOSS compact vehicle snowplows.



URETHANE CUTTING EDGE

Urethane edge kits are available for protecting surfaces and improving scraping performance.


TURF DEFENDERS

The BOSS Turf Defenders aim to shield sensitive surfaces, like turf and gravel, from the aggressive bite of the conventional cutting edge. The rounded edge allows the plow to float over grass, gravel and other loose or soft landscaping materials, moving the snow and not what lies underneath it.



BOX WING KIT

Carry more snow with your snowplow by adding a box wing kit. These wings easily bolt to the ATV/mid-size UTV straight-blade, providing a box-plow effect.



BLADE EXTENSIONS

Extend the width of your ATV/mid-size UTV straight-blade plow by 12" overall (6" on each side) with the blade extension kit. This kit enhances the plow's snow-clearing abilities by widening its reach.



LIGHT ADD-ON

BEACON LIGHT

Designed for snow and ice control professionals, the new Beacon Warning Light offers a low-profile, 6" rotating beacon that is completely dust- and water-tight to withstand the elements. With a suction cup and magnetic attachment, the Beacon Warning Light is suitable for a wide range of trucks and equipment.



LIGHTING OPTIONS



LED HEADLIGHT KIT

Designed for tough conditions, optional LED headlight kits offer a hardened clear glass lens housed in reinforced fiberglass plastic for long-lasting durability. This headlight kit includes the plow-side and vehicle-side wiring harnesses, headlight brackets and all the hardware necessary to outfit 6'0" straight-blade UTV straight-blade and 6'6" UTV XT Plows.

TOOLS

SCOOP AND PUSHER SHOVELS

BOSS has joined forces with the leaders in high performance, contractor-grade snow shovels! These tough, durable, high-performance shovels are built for the abuse of the season with premium blade material for unmatched scraping ability.



WBX SERIES: WALK-BEHIND SPREADERS

Simply and efficiently spread up to 100 pounds of material with professional-grade BOSS Walk-Behind Spreaders.



5-GALLON BUCKETS AND LIDS

Be ready for the worst weather with 5-gallon buckets that allow you to carry additional supplies to any job site. (Buckets and lids sold separately.)



SEE MORE





CALL 800-286-4155
sales@bossplow.com | bossplow.com
f @ i t y d i n



SEE HOW BOSS CONTINUES TO BACK YOU UP.
GET MORE INFO, WATCH VIDEOS, FIND A DEALER OR CHAT LIVE.



With quality and reliability at the forefront, BOSS Genuine Parts are designed, built and tested to fit your BOSS product.



SnowCare for Troops is a nationwide outreach program that performs free snow removal for active military families.



Ask your dealer or visit bossplow.com to explore the complete lineup of BOSS products, including Truck Equipment, Compact Vehicle Equipment, Heavy Equipment, Ice Control Equipment, Snowrator® and Accessories. **Ask your local dealer about financing options!**



Exclusive to BOSS Owners, joining the community gives you a profile page, a free gift and access to special offers and information on BOSS products and services.

PATENTS: www.ttcopats.com
©2023 BOSS Products. All Rights Reserved. Printed in U.S.A. Form #SLS-ATV02023

Arctic Cat is a registered trademark of Arctic Cat Inc. Polaris is a registered trademark of Polaris Industries Inc. Toro, Dingo, e-Dingo, GrandStand, Groundmaster and Workman are registered trademarks of The Toro Company. The "f" logo is a registered trademark/service mark of Facebook, Inc. The Twitter logo is a registered trademark/service mark of Twitter, Inc. The YouTube logo is a registered trademark/service mark of Google LLC. The "in" logo is a registered service mark of LinkedIn Corporation. TikTok and the TikTok logo are registered trademarks/service marks of Bytedance, Ltd. The Omnia Partners logo is a registered service mark of Omnia Partners, Inc. The Sourcewell logo is a service mark of National Joint Power Alliance. The Advantage International Registrar logo is a trademark of Advantage International Registrar, Inc. All other trademarks belong to BOSS Snowplow.

BOSS Products
2010 The BOSS Way
Iron Mountain, MI 49801

BOSS SNOWPLOW PRODUCTS ARE
DESIGNED AND MANUFACTURED
IN AN APPROVED ISO 9001:2015
REGISTERED FACILITY.

